

Product Name: WITE-OUT® Brand
Correction Fluids (Super Smooth, Extra

Coverage, and Quick Dry)

Date Prepared:

November 6, 2018 Version 10

	SECTION 1 – IDENTIFICATION
Product Name:	WITE-OUT® Brand Correction Fluids (Super Smooth, Extra Coverage, and Quick Dry)
Synonyms:	Different Products: 1- Quick Dry WQ5- White 2- Quick Dry WQ5- Buff 3- Extra Coverage WE4 4- Super Smooth WS4 5- Cover-It
Product Use:	Correction fluid
Manufacturer/ Vendor Information:	Manufactured for/Distributed by: BIC Corporation One BIC Way, Suite 1 Shelton, CT 06484 USA (203) 783-2000 Emergency Telephone Number: (203) 783-2412 Supplier Information: BIC Inc. 155 Oakdale Road Downsview, Ontario M3N 1W2 CANADA (416) 742-9173 x288 (Business hours)
SDS Contact:	Product Safety
Telephone number:	(203) 783-2412

	SECTION 2 – HAZARDS IDENTIFICATION
	er product and is not subject to the requirements of 29 CFR 1910.1200. ncluding the hazard identification in accordance with 29 CFR 1910.1200, is provided duct users.
Classification of the fluid in accordance with 29 CFR § 1910.1200:	Flammable Liquid – Category 2 Specific Target Organ Toxicity – Single Exposure (STOT-SE) – Category 3 (narcotic effects) Aspiration Hazard – Category 1
Signal Word (for fluid):	Danger
Hazard Statements (for fluid):	Highly flammable liquid and vapor. May be fatal if swallowed and enters airways. May cause drowsiness of dizziness.
Symbols (for fluid):	

SAFETY DATA SHEET according to the HCS/HazCom 2012 (29 CFR § 1910.1200)

Precautionary Statements (for fluid):	Prevention: Avoid breathing vapors.
Otatements (for fluid).	Keep away from heat/sparks/open flames/hot surfaces No smoking.
	Keep container tightly closed.
	Take precautionary measures against static discharge.
	Response:
	Do NOT induce vomiting
	If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	If swallowed: Immediately call a poison center/doctor.
	Storage:
	Store in a way to prevent damage to the product.
	Disposal:
	Dispose of contents/container in accordance with local / regional / national / international regulations.
	9% of the mixture consists of ingredients of unknown acute dermal toxicity
Any Hazards Not Otherwise Classified:	None
	For more information refer to Section 11 of this SDS

	SECTION 3 - COMPOSITION/ II	NFORMATION ON INGREDIENTS
Preparation:		
CAS No.	Chemical Name	% by Weight
13463-67-7	Titanium dioxide	30-60%
64741-66-8	Naphtha (petroleum), light alkylate	Products 1-2: 7-13% Products 3-4: 15-40%
64742-49-0	Naphtha, petroleum, hydrotreated light	Products 1-3: 15-40% Product 4: 7-13%

SECTION 4 - FIRST-AID MEASURES	
Eyes:	Quickly and gently blot or brush away chemical. Flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation occurs, obtain medical advice.
Skin:	If irritation does occur, flush with lukewarm gently flowing water for 5 minutes or until chemical is removed. Remove contaminated clothing, shoes, and leather goods (e.g. watchbands) as the product is highly flammable until dry. If irritation occurs, obtain medical advice.
Inhalation:	If breathing has stopped, trained personnel should begin artificial respiration (AR) or, if the heart has stopped, cardiopulmonary resuscitation (CPR) immediately. Immediately transport victim to an emergency care facility.
Ingestion:	DO NOT INDUCE VOMITING. Aspiration hazard if swallowed. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Transport victim to an emergency care facility if necessary

according to the HCS/HazCom 2012 (29 CFR § 1910.1200)

Most Important Syn	nptoms and Effects, Both Acute and Delayed
Symptoms/Injuries after Inhalation:	Deliberately concentrating and inhaling this product can lead to Central Nervous System (CNS) effects, unconsciousness and/or death. Product may be irritating if inhaled accidentally.
Symptoms/Injuries after Skin Contact:	Short-term exposure is expected to cause only slight irritation, if any.
Symptoms/Injuries after Eye Contact:	Mild eye irritation may occur if product comes in contact with eyes.
Symptoms/Injuries after Ingestion:	Ingestion of this product may cause CNS depression, symptoms of which may include; weakness, dizziness, slurred speech, drowsiness, unconsciousness and in cases of severe overexposure; coma and death. Ingestion of this product may lead to aspiration of the liquid, especially if vomiting occurs. This may result in chemical pneumonitis (inflammation of the lungs) and/or pulmonary edema (an accumulation of fluid in the lungs).
Indication of Any Im	nmediate Medical Attention and Special Treatment Needed
Treat symptomatica	ally.

SECTION 5 - FIRE-FIGHTING MEASURES	
Extinguishing Media:	Suitable: Water, foam, dry chemical, carbon dioxide.
Conditions of Flammability:	Fire characteristics are heavily influenced by the container and packaging materials. Fluid within container is HIGHLY FLAMMABLE. Can release vapors that form flammable mixtures at or above the flash point. In the event of damage to the outer container, provide adequate ventilation and keep ignition sources far removed. Dry fluid is not considered flammable.
Special Firefighting Procedures:	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Hazardous Combustion Products:	Carbon monoxide, carbon dioxide, reactive hydrocarbons, carbonyl compounds, smoke and irritating vapors may be formed on combustion.

SECTION 6 - ACCIDENTAL RELEASE MEASURES	
Personal Precautions:	Highly flammable liquid. Ventilate area. Dry fluid is not considered flammable.
Methods for Containment and Cleaning Up:	Clean up spilled material and repackage for proper waste management.

SECTION 7 – HANDLING AND STORAGE	
Handling	
Handling:	Avoid damage to the packaged product. In the event of product damage, the fluid may be released. The fluid is a Highly flammable liquid. Provide adequate ventilation and keep ignition sources far removed.
	Store away from incompatible and reactive materials (See Section 10). Keep container tightly closed. Store away from heat and sources of ignition.

SECTION 8 – EXPOSURE CONTROLS/ PERSONAL PROTECTION		
Control parameters		
Chemical Name	CAS Number	Exposure Limits
Titanium dioxide	13463-67-7	ACGIH: (TLV-TWA) 10 mg/m ³ OSHA: (PEL-TWA) 15 mg/m ³
Naphtha, petroleum, hydrotreated light	64742-49-0	ACGIH: (TLV-TWA) 400 ppm ACGIH: (TLV-STEL) 500 ppm OSHA: (PEL-TWA) 500 ppm

SAFETY DATA SHEET according to the HCS/HazCom 2012 (29 CFR § 1910.1200)

	(Recommended based on a similar product – Heptane)	
Personal protective equipr	nent is not necessary under normal conditions of use.	
Engineering Magazines	For named application, and interesting in antique in an	
Engineering Measures:	For normal application, special ventilation is not necessary.	
Eye Protection:	Not required under normal use conditions.	
Hand Protection:	None necessary under normal use conditions.	
Skin and Body Protection:	None necessary under normal use conditions.	
Respiratory Protection:	None necessary under normal use conditions.	

ACGIH = American Conference of Governmental Industrial Hygienists OSHA = Occupational Safety & Health Administration

PEL = Permissible Exposure Limit

TLV = Threshold Limit Values

TWA = Time-Weighted Average

STEL = Short-Term Exposure Limit

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES		
Appearance & Physical State:	Free flowing white liquid	
Odor (of fluid):	Petroleum solvent odor	
Odor Threshold (of fluid):	Not Available	
pH (of fluid):	Not Available	
Melting Point (of fluid):	-22.2 to -13.3°C (-8 to +8°F)	
Boiling Point (of fluid):	95.6-113.9°C (204-237°F)	
Flash point (of fluid):	WQ5: -10°C (14°F) (ASTM D3828-05) WE4: -5°C (23°F) WS4: 0.9°C (33.6°F)	
Evaporation Rate (of fluid):	0.89-1.08 (Butyl Acetate=1)	
Flammability (of fluid):	Highly flammable vapors	
Flammable Limits in Air (of fluid)		
Lower (LFL):	1.7% by volume	
Upper (UFL):	12.3 % by volume	
Vapor Pressure (of fluid):	26-49 mmHg at 20°C	
Vapor Density (of fluid):	3.4-4.0 (estimated) (air =1)	
Density/Specific Gravity (of fluid):	1.25 (Water =1)	
Solubility in Water (of fluid):	0.1g/L at 20°C	
Octanol/ Water Partition Coefficient (of fluid):	Not Available	
Auto-ignition Temperature (of fluid):	~246.1°C (based on petroleum solvent - approximate)	
Decomposition Temperature (of fluid):	Not Available	
Viscosity (of fluid):	Not Available	

SECTION 10 - STABILITY AND REACTIVITY		
Reactivity:	This product is stable under the normal conditions of use.	

according to the HCS/HazCom 2012 (29 CFR § 1910.1200)

Chemical Stability:	Stable	
Possibility of Hazardous Reactions:	Not expected to undergo hazardous polymerization.	
Conditions to avoid:	Avoid heat sources, sparks or flames and static discharge.	
Incompatible Materials:	Avoid strong oxidizing or reducing agents.	
Hazardous Not expected to undergo decomposition. Decomposition Products:		

SE	ECTION 11 - TOX	ICOLOGICAL INFORMA	TION
Routes of Entry:	Skin contact, Inha	lation, Eye contact, Skin Abs	sorption, Ingestion
Acute Toxicity Product data:	Volue		
Route & Species	<u>Value</u>		
Oral; rat, LD ₅₀	>15 g/kg		
Inhalation; rat LC ₅₀	90-169.4 mg/L/1H		
Dermal, ATE	>5 g/kg		
ATE = acute toxicity estimate Ingredient data:	•		
Chemical	CAS#	Route & Species	<u>Value</u>
Titanium dioxide	13463-67-7	Dermal; rabbit, LD50	>10 000 mg/kg
Naphtha (petroleum), light alkylate	64741-66-8	Dermal; rabbit, LD ₅₀	>2000 mg/kg
Naphtha petroleum, hydrotreated light	64742-49-0	Dermal; rabbit, LD ₅₀	>3160 mg/kg
Eye Irritation:	Not expected to be tolerance test.	e an eye irritant based on the	e results of an <i>in vitro</i> ocular
Skin Irritation:	Not expected to be a primary skin irritant based on the results of an <i>in-vivo</i> human skin patch test.		
Ingestion Effects:	Ingestion of this product may cause CNS depression, symptoms of which may include; weakness, dizziness, slurred speech, drowsiness, unconsciousness and in cases of severe overexposure; coma and death. Ingestion of this product may lead to aspiration of the liquid, especially if vomiting occurs. This may result in chemical pneumonitis (inflammation of the lungs) and/or pulmonary edema (an accumulation of fluid in the lungs).		
Inhalation Effects:	Deliberately concentrating and inhaling this product can lead to CNS effects, unconsciousness and/or death.		
Skin Sensitization:	Contact with this product is not expected to cause skin sensitization, based upon the available data and the known hazards of the components.		
Respiratory Tract	Contact with this product is not expected to cause respiratory tract		
Sensitization:	sensitization, based upon the available data and the known hazards of the components.		
Chronic Toxicity			
Carcinogenicity:	Based on the known hazards of the components, the product is not expected to pose a carcinogenicity risk.		
Mutagenicity:			onents at >= 0.1% that have based upon the available data

according to the HCS/HazCom 2012 (29 CFR § 1910.1200)

	and the known hazards of the components, this product is not expected to be a mutagen.
	This product is not known to contain any components at >= 0.1% that have been shown to cause reproductive toxicity. Therefore, based upon the available data and the known hazards of the components, this product is not expected to be a reproductive toxin.
	This product is not known to contain any components at >= 0.1% that have been shown to cause teratogenicity and/or embryotoxicity. Therefore, based upon the available data and the known hazards of the components, this product is not expected to be a teratogen/embryotoxin.
Other Chronic Effects:	Repeated and chronic product abuse such as deliberately concentrating and inhaling this product can result in adverse effects to the CNS such as drowsiness, dizziness and potentially serious long-term health effects.

SECTION 12 – ECOLOGICAL INFORMATION		
Ecotoxicity:	Not Available	
Persistence/ Degradability:	Not Available	
Bioaccumulation:	Not Available	
Mobility:	Not Available	
Other Adverse Effects:	Not Available	

SECTION 13 – DISPOSAL CONSIDERATIONS		
Waste Disposal Method:	In accordance with local, provincial/territorial or federal guidelines and regulations	

	SECTION 14 - TRANSPORT INFORM	ATION		
	Shipping name	UN Number	Hazard Class	PG
DOT (US)	As packaged by the manufacturer for distribution into commerce, the <i>Limited Quantity</i> and/or <i>Consumer Commodity, ORMD</i> exemptions are used. Other packaging may require full DOT compliance:	1139	3	II
	For domestic transport by road, rail and cargo: Proper Shipping Name: Coating solution			
MDG	For International transport by cargo vessel, road, rail: Proper shipping name: Coating Solution NOTE: Shipped as Limited Quantity	1139	3	II
IATA	For international transport by Air: Proper Shipping Name: Consumer Commodity	ID8000	9	

DOT = Department of Transport
IMDG = International Maritime Dangerous Goods
IATA = International Air Transport Association

WITE-OUT® Brand Correction Fluids

SAFETY DATA SHEET

November 6, 2018

according to the HCS/HazCom 2012 (29 CFR § 1910.1200)

SECTION 15 - REGULATORY INFORMATION

OSHA Classification: (OSHA Hazard Communication Standard (29 CFR §1910.1200))

This product has been classified in accordance with the hazard criteria of OSHA's HCS/HazCom 2012 and the SDS contains all the information required by the 29 CFR § 1910.1200

Hazard Ratings for fluid

	NPCA/HMIS	NFPA 704
Health:	1	1
Flammability:	3	3
Reactivity:	0	0

All the ingredients in the product are listed on the TSCA inventory. This product requires no labeling as per the State of California's Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). None of the ingredients in this product are Class I or Class II ozone depletors. None of the ingredients in this product are listed as an Extremely Hazardous Substance under the RCRA, SARA 302/313, Clean Air Act, and Clean Water Act.

Regulated under SARA 311/312 Acute: no Chronic: no Fire: Yes

SECTION 16 – OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Preparation Date: November 6, 2018 Supersedes Date: May 27, 2015

Disclaimer: The information given is based on data currently available to us and is believed to be correct. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. No responsibility is assumed for injury or damage from the use of the products described herein.